

Prepared to US-OSHA Standards

SDS Revision: 4.0

SDS Revision Date: 27Feb25

B4 Brands AVANT® FOAMING HAND SANITIZER

1. PI	1. PRODUCT AND COMPANY IDENTIFICATION				
1.1	Product Name:	34 Brands AVANT® FOAMING HAND SANITIZER			
1.2	Product Code:	12094FF			
1.3	Product Uses &	OTC Antimicrobial Hand Sanitizer for consumer and occupational use.			
	Restrictions:	OTO Antimicropia Hand Samilizer for consumer and occupational use.			
1.4	Supplier Name:	B4 Brands			
1.5	Supplier Address:	1001 North Washington Street			
1.6	Business Phone:	1-888-667-6066			
1.7	Business Email:	www.b4brands.com			
1.8	Emergency Phone:	INFOTRAC: 1-800-535-5053 (North America) +1-352-323-3500 (Outside North America)			
This document is written for the packaged product and contains information for an occupational, or workplace, setting.					

2. H	2. HAZARDS IDENTIFICATION					
2.1	Classification of the	Physical Hazards: Flammable Liquid - Category 3				
	Substance or	Health Hazards: Serious Eye Irritation - Category 2A				
	Mixture:	Environmental Hazards: Not Classified				
2.2	Labeling Elements:	Hazard Signal Word: Warning Hazar				
		Hazard Statements: Flammable Liquid and Vapour. Causes serious eye irritation.	Pictograms:			
		Precautionary Statements: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Store in well ventilated place. Keep cool. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Dispose of waste and residue in accordance with local authority requirements.				
2.3	Other Hazards:	None known.				

3. COMPOSITION / INFORMATION ON INGREDIENTS

-		_			
N	ЛΙ	X	tu	ıre	٠.

CHEMICAL NAME	CAS No. GHS Hazard Classification		% by Weight
Ethanol		Flammable Liquid, Category 2 Serious Eye Irritant, Category 2A	60 - 65

There are no other ingredients present in the mixture which, within the current knowledge of the supplier and in the concentrations applicable, are classified as physical, health or environmental hazards, or have been assigned a workplace exposure limit, and hence require reporting in this section.

4. FIRST AID MEASURES

4.1	Aid Measures:	Ingestion: In case of ingestion, do not induce vomiting without medical advice. Give victim several glasses of water to drink. Never give anything by mouth to an unconscious person. Seek medical attention if necessary. Eves: In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Skin: If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek medical attention in the event of an adverse reaction or if symptoms persist. Inhalation: If respiratory distress or irritation occurs, remove victim to fresh air. Seek medical attention in the event of an adverse reaction or if symptoms persist.
4.2	Most Important Symptoms and Effects, Both Acute and Delayed:	Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness.
4.3	Indication of Immediate Medical Attention and Special Treatment Needed:	Provide general supportive measures and treat symptomatically. No known specific antidotes.



Prepared to US-OSHA Standards

SDS Revision: 4.0

SDS Revision Date: 27Feb25

5. FI	RE FIGHTING MEAS	SURES					
5.1		Suitable Extinguishing Media: Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. Unsuitable Extinguishing Media: None known.					
5.2	Specific Hazards:	Warning! Flammable liquid and vapor. When heated above the flash point, vapours may burn or form explosive mixture with air. May produce oxides of carbon and/or nitrogen on combustion.					
5.3	Special Protective Equipment and Precautions for Firefighters:	Wear self-contained breathing apparatus and full personal protective gear. Use standard firefighting procedures.					
6 A	CCIDENTAL RELEAS	SE MEASURES					
6.1	Personal						
	Precautions,	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary personnel away.					
6.2	Environmental Precautions:	Dike or contain spill to p	prevent from ente	ring drains. Avoid direc	et release to drains, surfa	ce and ground water.	
6.3	Methods and Material for Containment and Cleaning Up:	Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Dispose of all washings, sweepings, and absorbents in accordance with federal, state and local regulations. Use non-sparking tools and equipment. Take action to prevent static discharges.					
7 H	ANDLING AND STO	RAGE					
7.1	Precautions for Safe Handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Utilize safe handling and transportation techniques to avoid spillage or rupture of the product. Ensure adequate ventilation in the workplace. Avoid direct eye contact. Do not eat, drink, or smoke while handling. Wear appropriate personal protective equipment (see Section 8). Routinely wash work clothing and protective equipment. Observe good hygiene practices.					
7.2	Conditions for Safe Storage:				un-light and incompatible ther ignition sources. Sto		
8. E	XPOSURE CONTRO	LS / PERSONAL PR	OTECTION				
8.1	Control Parameters:	CHEMICAL NAME	CAS		Occupational Exposure Limits		
		CHEMICAL NAME	Number	OSHA PEL (TWA)	NIOSH REL (TWA)	ACGIH TLV (STEL)	
		Ethanol	64-17-5	1000 ppm 1900 mg/m ³	1000 ppm 1900 mg/m ³	1000 ppm	
8.2	Engineering Controls:	Provide adequate ventil limits.	ation in the work	place to maintain airboi	rne levels below recomm	ended exposure	
8.3	Respiratory Protection:	1			134 if airborne exposure		
8.4	Eye Protection:	Avoid eye contact. Wear protective eyewear (e.g., safety glasses with side-shield) if eye contact hazards exist in the workplace.					
8.5	Skin Protection:	No special skin protection	on is required und	der typical circumstanc	es of use and handling.		
9. PI	HYSICAL AND CHEM	MICAL PROPERTIES	3				
9.1	Appearance:	Clear, colorless liquid					
9.2	Odor:	Alcohol					
9.3	Odor Threshold:	No data available on this product					
9.4	pH:	6.0 - 8.0					
9.5	Melting Point:	No data available on thi					
9.6 9.7	Freezing Point: Initial Boiling	No data available on thi No data available on thi	-				
<u> </u>	Point/Boiling Range:	1					



Prepared to US-OSHA Standards

SDS Revision: 4.0

SDS Revision Date: 27Feb25

0.0	Elechnoint:	07/0 (02 0/7) 01 10			
	Flashpoint:	27°C (80.6°F) - Closed Cup e: No data available on this product			
	Evaporation Rate:	INO data available on this product			
9.10	Flammability	No data available on this product			
0.11	(solid, gas):				
	Upper/Lower	UEL: 19.0% (ethanol)			
	Flammability or	LEL: 3.3% (ethanol)			
0.40	Explosive Limits:	No data as a Palata and the associated			
	Vapor Pressure:	No data available on this product No data available on this product			
	Vapor Density:	vo data avaliable on tillo product			
9.14	Relative Density	0.890 - 0.910			
0.45	(water=1.0):	oluble in water			
	Solubility: Partition Coefficient	Soluble III water			
9.16	(n-octanol/water):	No data available on this product			
0.17					
	Autoignition	No data available on this product			
	Temperature:				
	Decomposition	No data available on this product			
	Temperature:	No data available on this product			
	Viscosity: Other Information:	No relevant additional information available on this product			
9.20	Other information:	The relevant additional information available on this product			
10 8	TABILITY AND REA	CTIVITY			
	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.			
	Chemical Stability:	This product is stable under normal handling and storage conditions.			
	Possibility of	This product is stable under normal nariding and storage conditions.			
10.5	Hazardous	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.			
	Reactions:	The flazardous reactions known under conditions of normal asc. Hazardous polymenzation is not expected.			
	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.			
	Incompatible				
	Materials:	Strong acids, bases, and oxidizing agents.			
10.6	Hazardous	No horazdou a documentalitica avaduata eva kanua. Mou avaduae avidae of carbon and/av aitragen en			
	Decomposition	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on combustion.			
	Products:	compustion.			
	DXICOLOGICAL INI				
		Effects: Health effects of the mixture are derived from product data, ingredient information of concentrations			
		n US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional			
	nent data not shown.				
11.1		Effects and Symptoms:			
	Eye Contact:	Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and			
	6 11 6	redness.			
	Skin Contact:	No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting,			
		drying and cracking of the skin.			
	Ingestion:	No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed.			
		Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system			
	labalatic	depression (headache, dizziness and drowsiness).			
	innaiation:	No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of central nervous system depression (headache, dizziness, and drowsiness).			
11.2					
		Product Summary/Conclusion: Classification criteria are not met.			
11.3		Acute Toxicity Estimate: Calculation Method			
	Fibuuct.	Oral: > 11,000 mg/kg			
		Dermal: > 32,000 mg/kg			
	Components	Ethanol: CAS 64-17-5			
	Components.	Oral LD50: 7060 mg/kg (Rat)			
		Dermal LD50: 20,000 mg/kg (Rabbit)			



Prepared to US-OSHA Standards

SDS Revision: 4.0

SDS Revision Date: 27Feb25

11.4	Skin Corrosion/	Product Summary/Conclusion: Classification criteria are not met.		
	Irritation:	Product: Human Repeat Insult Patch Test (3% in distilled water) - No evidence of skin irritation.		
		Ethanol: CAS 64-17-5		
		Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin		
		Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme		
		repeat dose situations.		
11.5	Serious Eye	Product Summary/Conclusion: Causes serious eye irritation		
	Damage/Irritation:	Ethanol: CAS 64-17-5		
ľ	Damage/irritation.	Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): GHS Category 2A eye irritant.		
11.6	Respiratory or Skin	Product Summary/Conclusion: Classification criteria are not met.		
	Sensitization:	Product: Human Repeat Insult Patch Test (3% in distilled water) - No evidence of sensitization.		
ľ	Jensitization.	Ethanol: CAS 64-17-5		
		Respiratory Sensitization: No reports of human respiratory sensitization.		
		Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.		
	Germ Cell	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or		
	Mutagenicity:	any components present at greater than 0.1% are mutagenic or genotoxic.		
		Ethanol: CAS 64-17-5		
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salomella typhimurium up to		
		maximum plate concentration of 10 mg/plate, with and without metabolic activation.		
11.8	Carcinogenicity:	No components at levels greater than or equal to 0.1% are listed as carcinogens by IARC, US OSHA or NTP.		
11.9	Reproductive	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or		
	Toxicity:	any components present at greater than 0.1% cause reproductive or developmental effects.		
		Ethanol: CAS 64-17-5		
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest		
		concentration tested)		
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm,		
		NOAEL (teratogenicity) > 20,000 ppm (highest concentration tested)		
11 10	STOT-Single	Tronizz (toratogonioty) > 20,000 pp.m (mgnost consonitation tostod)		
	Exposure:	Not classified due to lack of data.		
	STOT-Repeated	Product Summary/Conclusion: Classification criteria are not met.		
	Exposure:	Ethanol: CAS 64-17-5		
	Exposure.	90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg		
11 12	Aspiration Hazard	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm		
11.12	Aspiration Hazard:			
		Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data.		
12. EC	COLOGICAL INFOR	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION		
12. EC		Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met.		
12. EC	COLOGICAL INFOR	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5		
12. EC	COLOGICAL INFOR	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae)		
12. EC	COLOGICAL INFOR	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia		
12. EC	COLOGICAL INFOR	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina)		
12. EC	COLOGICAL INFOR	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)		
12. EC	COLOGICAL INFOR	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5		
12. EC	COLOGICAL INFORE Ecotoxicity: Persistence and Degradability:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable		
12. EC 12.1	COLOGICAL INFORECTION OF THE PERSON OF THE P	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5		
12. EC	Persistence and Degradability: Bioaccumulative Potential:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow)		
12. EC 12.1 12.2 12.3 12.4	COLOGICAL INFORE Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available		
12. EC 12.1 12.2 12.3 12.4 12.5	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow)		
12. EC 12.1 12.2 12.3 12.4 12.5	COLOGICAL INFORE Ecotoxicity: Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available		
12. EC 12.1 12.2 12.3 12.4 12.5	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards.		
12. EC 12.1 12.2 12.3 12.4 12.5	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards.		
12. EC 12.1 12.2 12.3 12.4 12.5	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: SPOSAL CONSIDE Waste Disposal	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large		
12. EC 12.1 12.2 12.3 12.4 12.5	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for		
12. EC 12.1 12.2 12.3 12.4 12.5	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: SPOSAL CONSIDE Waste Disposal Methods:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
12. EC 12.1 12.2 12.3 12.4 12.5 13.1 13.2	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: SPOSAL CONSIDE Waste Disposal Methods: Special Precautions:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for		
12. EC 12.1 12.2 12.3 12.4 12.5 13.1 13.2 13.3	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: SPOSAL CONSIDE Waste Disposal Methods: Special Precautions: US EPA (RCRA)	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all precautions for ignitable waste.		
12. EC 12.1 12.2 12.3 12.4 12.5 13. DI 13.1	Persistence and Degradability: Bioaccumulative Potential: Mobility in Soil: Other Adverse Effects: SPOSAL CONSIDE Waste Disposal Methods: Special Precautions:	Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm Not classified due to lack of data. RMATION Product Summary/Conclusion: Classification criteria are not met. Ethanol: CAS 64-17-5 Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae) Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia salina) Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow) Ethanol: CAS 64-17-5 Readily biodegradable Ethanol (CAS 64-17-5): -0.31 (log Kow) No data available No other known adverse environmental effects or critical hazards. ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal.		



Prepared to US-OSHA Standards

SDS Revision: 4.0

SDS Revision Date: 27Feb25

14. T	RANSPORT INFOR	MATION
14.1	US DOT (GROUND):	Consumer Commodity, Limited Quantity
14.2	IATA (AIR):	Consumer Commodity, ID 8000, Class 9
14.3	IMDG (OCEAN):	UN 1170, Ethanol Solutions, Class 3, Packing Group III, Limited Quantity
14.6	Environmental	
14.0	Hazards:	Not regulated
14.7	Transport in Bulk	
14.7	According to Annex II	
	of Marpol and the IBC Code:	
14.8	Special Precautions	Transport within user's premises: Transport in closed containers that are upright and secure. Read SDS and
14.0		lemergency procedures before handling.
	for User:	Jernergency procedures before flatiding.
15 B	EGULATORY INFO	RMATION
15.1	SARA 302 TPQ:	No chemical components in this product are listed.
		No chemical components in this product are listed.
15.2	SARA 304 RQ:	Not applicable - product is exempt.
15.3	SARA 311/312:	No chemical components in this product are listed.
15.4	SARA 313:	RCRA D001/Unlisted Ignitable Hazardous Waste, Ethanol = 100 lbs
15.5	CERCLA RQ:	nona Doot/offiisted Igritable nazardous Waste, Ethanol = 100 ibs
15.6	Clean Air Act (CAA) Section 112(r) TQ:	No chemical components in this product are listed.
15.7	Clean Water Act	
15.7	(CWA):	No chemical components in this product are listed.
15.8	California	
13.0	Proposition 65:	This product is not subject to California warning labeling for carcinogens or reproductive toxins.
	i roposition oo:	
16 C	THER INFORMATION	NA CONTRACTOR OF THE CONTRACTO
16.1	Legend:	ACGIH: American Conference of Governmental Industrial Hygienists
10.1	Legena.	CAS: Chemical Abstracts Service
		CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
		CFR: Code of Federal Regulations
		DOT: (US) Department of Transportation
		EC50: Effective Concentration, 50%
		EPA: (US) Environmental Protection Agency
		GHS: Globally Harmonized System of Classification and Labeling Chemicals
		IATA: International Air Transport Association
		IARC: International Agency for the Research of Cancer
		IBC: Intermediate Bulk Container
		IMDG: International Maritime Dangerous Goods
		LC50: Lethal Concentration, 50%
		LD50: Lethal Dose, 50% LOAEL: Lowest Observed Adverse Effect Level
		Log Kow: Logarithm of the n-octanol/water partition coefficient
		NIOSH: National Institute for Occupational Safety and Health
		NOAEC: No Observed Adverse Effect Concentration
		NOAEL: No Observed Adverse Effect Level
		NTP: National Toxicology Program
		OECD: Organisation for Economic Co-operation and Development
		OSHA: (US) Occupational Safety & Health Administration
		OTC: Over-The-Counter
		PEL: Permissible Exposure Limit
		RCRA: Resource Conservation and Recovery Act
		REL: Recommended Exposure Limit
		RQ: Reportable Quantity
		SARA: Superfund Amendments and Reauthorization Act
		STEL: Short Term Exposure Limit
		STOT: Specific Target Organ Toxicity



Prepared to US-OSHA Standards

SDS Revision: 4.0

SDS Revision Date: 27Feb25

		TLV: Threshold Limit Value TPQ: Threshold Planning Quantity TQ: Threshold Quantity TWA: Time Weighted Average
16.2	Disclaimer:	This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be accurate as of the date of publication. This information is offered in good faith by B4 Brands and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are provided. If this product(s) is combined with other materials, all component properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the nature of the product.
16.3	Last Revision Date:	10Jan19
16.4	Reason for Revision:	Review and update date.